

## Author Index to Volume 169

- Aben, I., W. Ubachs, G. Van der Zwan and W. Hogervorst, Theory of rotational line-strengths for resonant four-wave-mixing processes in gaseous media with application to CARS 169 (1993) 113
- Antzutkin, O.N., N.P. Benetis, M. Lindgren and A. Lund, Molecular motion of the morpholin-1-yl radical in  $\text{CF}_2\text{ClCFCl}_2$  as studied by ESR. Use of residual anisotropy of powder spectra to extract dynamics 169 (1993) 195
- Ault, B.S., see H. Bai 169 (1993) 317
- Bai, H. and B.S. Ault, Matrix isolation study of the products and reaction pathways in the corona excited discharge of  $\text{C}_6\text{F}_6$  169 (1993) 317
- Bailey, R.T., F.R. Cruickshank, S.M.G. Guthrie, D. Pugh, S.S. Miljanic and B.B. Radak, A simple numerical model of vibrational energy transfer in polyatomic gases 169 (1993) 259
- Bartsch, E., H. Bertagnolli, P. Chieux, A. David and H. Sillescu, Temperature dependence of the static structure factor of ortho-terphenyl in the supercooled liquid regime close to the glass transition 169 (1993) 373
- Baumgärtel, H., see E. Rühl 169 (1993) 243
- Baumgarten, M., K. Müllen, N. Tyutyulkov and G. Madjarova, On the nature of the spin exchange interaction in poly(*m*-aniline) 169 (1993) 81
- Benetis, N.P., see O.N. Antzutkin 169 (1993) 195
- Bertagnolli, H., see E. Bartsch 169 (1993) 373
- Bitto, H., see S. Derler 169 (1993) 275
- Blasse, G., see M.F. Hazenkamp 169 (1993) 55
- Böhm, M.C., see M.Yu. Lavrentiev 169 (1993) 85
- Bornemann, T., see L. Manceron 169 (1993) 219
- Broo, A., Electronic structure of donor-spacer-acceptor molecules of potential interest for molecular electronics. I. Donor- $\pi$  spacer-acceptor 169 (1993) 135
- Broo, A., Electronic structure of donor-spacer-acceptor molecules of potential interest for molecular electronics. II. Donor- $\sigma$  spacer-acceptor 169 (1993) 151
- Butterfield, M.T., T. Yu and M.C. Lin, Kinetics of CN reactions with allene, butadiene, propylene and acrylonitrile 169 (1993) 129
- Cai, Z.-L., Ab initio study of three low-lying electronic states of the  $\text{H}_2\text{NO}$  radical 169 (1993) 75
- Cardy, H., C. Larrieu, M. Chaillet and J. Ollivier, Ab initio CI study of the laser radiation effect on pyrolysis of 1,2-dichloroethane 169 (1993) 305
- Chaillet, M., see H. Cardy 169 (1993) 305
- Chandran, L. and L. Jansen, Superconductivity in organic metals based on an indirect exchange pairing mechanism 169 (1993) 1
- Chau, H.F. and K.S. Cheng, The path integral method on solving the evolution of probability distribution: E1 and E2 elimination reactions 169 (1993) 45
- Cheng, K.S., see H.F. Chau 169 (1993) 45
- Chieux, P., see E. Bartsch 169 (1993) 373

- Chinsky, L., see M. Majoube 169 (1993) 231
- Clark, B.K., C.A. Stack and H.E. Muehler, Atomic potassium photodissociation lasers from 1 to 4  $\mu\text{m}$  169 (1993) 327
- Cobb, J., M.M.I. Haq, M.M.P. Kurshid, J.A.S. Smith and M.H. Palmer, The electron distribution in quinoxalin-2-ones and 2,3-diones; a study by NQR and ab initio calculations 169 (1993) 65
- Coffey, W.T. and Yu.P. Kalmykov, On the calculation of the macroscopic relaxation time from the Langevin equation for a dipole in a cavity in a dielectric medium 169 (1993) 165
- Correia, N., see A. Lisini 169 (1993) 379
- Crannage, R.P., E.A. Dorko, D.E. Johnson and P.D. Whitefield, Surface deactivation efficiencies for  $\text{O}_2(^1\Delta_g)$  on a range of materials. I. Pyrex, nickel, copper, nickel-copper alloy and inconel 169 (1993) 267
- Craw, J.S., see W.B. De Almeida 169 (1993) 185
- Cruickshank, F.R., see R.T. Bailey 169 (1993) 259
- David, A., see E. Bartsch 169 (1993) 373
- De Almeida, W.B. and J.S. Craw, An MP2 study of the  $\text{C}_2\text{H}_2\cdots\text{CO}$  complex and its isotopomers 169 (1993) 185
- Decleva, P., see M. Ohno 169 (1993) 173
- Dellis, D., see M. Haritopoulou 169 (1993) 103
- Derler, S., H. Bitto and J.R. Huber, Statistical effects on the dynamics of a multilevel system studied in  $\text{S}_1$ -butynal 169 (1993) 275
- Dorko, E.A., see R.P. Crannage 169 (1993) 267
- Dreger, Z.A., J.M. Lang and H.G. Drickamer, High pressure study of flexible fluorescent dye molecules in solid polymeric media. I. Julolidinemalononitrile 169 (1993) 351
- Dreger, Z.A., J.M. Lang and H.G. Drickamer, High pressure study of flexible fluorescent dye molecules in solid polymeric media. II. Polyester yellow 6G-LSW 169 (1993) 361
- Dreger, Z.A., J.M. Lang and H.G. Drickamer, High pressure study of flexible fluorescent dye molecules in solid polymeric media. III. *p*-N,N'-dimethylaminobenzilidenemalononitrile (DMABMN) – reanalyzed 169 (1993) 369
- Drickamer, H.G., see Z.A. Dreger 169 (1993) 351
- Drickamer, H.G., see Z.A. Dreger 169 (1993) 361
- Drickamer, H.G., see Z.A. Dreger 169 (1993) 369
- Faller, F., see L. Manceron 169 (1993) 219
- Floris, F.M., A. Tani and J. Tomasi, Evaluation of dispersion–repulsion contributions to the solvation energy. Calibration of the uniform approximation with the aid of RISM calculations 169 (1993) 11
- Guthrie, S.M.G., see R.T. Bailey 169 (1993) 259
- Haq, M.M.I., see J. Cobb 169 (1993) 65
- Haritopoulou, M., J. Samios, D. Dellis and E. Zoidis, Far-infrared absorption spectra of thiophene in liquid solutions with carbon disulfide 169 (1993) 103
- Hazenkamp, M.F., F.B. Van Duijneveldt and G. Blasse, Theoretical study on the intensities of charge-transfer type transitions in  $\text{VO}_4^{3-}$  and  $\text{VOF}_3$  169 (1993) 55
- Heinzel, C., see E. Rühl 169 (1993) 243
- Henry, M., see M. Majoube 169 (1993) 231

- Hitchcock, A.P., see E. Rühl 169 (1993) 243
- Hogervorst, W., see I. Aben 169 (1993) 113
- Huber, J.R., see S. Derler 169 (1993) 275
- Jansen, L., see L. Chandran 169 (1993) 1
- Johnson, D.E., see R.P. Crannage 169 (1993) 267
- Kajii, Y., see Y. Takatori 169 (1993) 291
- Kalmykov, Yu.P., see W.T. Coffey 169 (1993) 165
- Keane, M.P., see A. Lisini 169 (1993) 379
- Köppel, H., see M.Yu. Lavrentiev 169 (1993) 85
- Krissinel', E.B., CIDNP kinetics in homogeneous recombination of radicals 169 (1993) 207
- Kuball, H.-G., G. Sieber, S. Neubrech, B. Schultheis and A. Schönhöfer, Circular dichroism of oriented molecules. Magnetic dipole and electric quadrupole contribution to the ACD of chirally substituted diaminoanthraquinones 169 (1993) 335
- Kurshid, M.M.P., see J. Cobb 169 (1993) 65
- Lang, J.M., see Z.A. Dreger 169 (1993) 351
- Lang, J.M., see Z.A. Dreger 169 (1993) 361
- Lang, J.M., see Z.A. Dreger 169 (1993) 369
- Larrieu, C., see H. Cardy 169 (1993) 305
- Lavrentiev, M.Yu., H. Köppel and M.C. Böhm, Theoretical study of the multimode Peierls distortion in the polydecker sandwich compound  $[\text{Ni}(\text{H}_5\text{C}_3\text{B}_2)]_\infty$  169 (1993) 85
- Lin, M.C., see M.T. Butterfield 169 (1993) 129
- Lindgren, M., see O.N. Antzutkin 169 (1993) 195
- Lisini, A., M.P. Keane, S. Lunell, N. Correia, A. Naves de Brito and S. Svensson, X-ray photoelectron spectroscopy and ab initio CI study of the core and valence ionisation of formamide 169 (1993) 379
- Lund, A., see O.N. Antzutkin 169 (1993) 195
- Lunell, S., see A. Lisini 169 (1993) 379
- Madjarova, G., see M. Baumgarten 169 (1993) 81
- Majoube, M., M. Henry, L. Chinsky and P.Y. Turpin, Preresonance Raman spectra for imidazole and imidazolium ion: interpretation of the intensity enhancement from a precise assignment of normal modes 169 (1993) 231
- Manceron, L., A. Schrimpf, T. Bornemann, R. Rosendahl, F. Faller and H.-J. Stöckmann, On the ESR spectra and bonding of lithium complexes of acetylene, ethylene and benzene: a matrix isolation study 169 (1993) 219
- Miljanic, S.S., see R.T. Bailey 169 (1993) 259
- Muehsler, H.E., see B.K. Clark 169 (1993) 327
- Müllen, K., see M. Baumgarten 169 (1993) 81
- Nada, R., V.R. Saunders and C. Pisani, Super-cell versus embedded cluster simulation of a lithium vacancy in a lithium fluoride monolayer 169 (1993) 297
- Naves de Brito, A., see A. Lisini 169 (1993) 379
- Neubrech, S., see H.-G. Kuball 169 (1993) 335
- Novikov, S.V. and A.V. Vannikov, Field dependence of charge mobility in polymer matrices. Monte Carlo simulation of the escape of a charge carrier from a dipole trap 169 (1993) 21

- Obi, K., see Y. Takatori 169 (1993) 291
- Ohno, M. and P. Decleva, On the core hole screening mechanism in adsorbates in the absence of low lying  $\pi$  acceptor orbitals 169 (1993) 173
- Ollivier, J., see H. Cardy 169 (1993) 305
- Palmer, M.H., see J. Cobb 169 (1993) 65
- Pisani, C., see R. Nada 169 (1993) 297
- Pugh, D., see R.T. Bailey 169 (1993) 259
- Radak, B.B., see R.T. Bailey 169 (1993) 259
- Rosendahl, R., see L. Manceron 169 (1993) 219
- Rühl, E., C. Heinzel, H. Baumgärtel and A.P. Hitchcock, Ionic fragmentation of carbon 1s excited metallocenes 169 (1993) 243
- Samios, J., see M. Haritopoulou 169 (1993) 103
- Saunders, V.R., see R. Nada 169 (1993) 297
- Schönhofer, A., see H.-G. Kuball 169 (1993) 335
- Schrimpf, A., see L. Manceron 169 (1993) 219
- Schultheis, B., see H.-G. Kuball 169 (1993) 335
- Shibuya, K., see Y. Takatori 169 (1993) 291
- Sieber, G., see H.-G. Kuball 169 (1993) 335
- Sillescu, H., see E. Bartsch 169 (1993) 373
- Smith, J.A.S., see J. Cobb 169 (1993) 65
- Stack, C.A., see B.K. Clark 169 (1993) 327
- Stöckmann, H.-J., see L. Manceron 169 (1993) 219
- Suzuki, T., see Y. Takatori 169 (1993) 291
- Svensson, S., see A. Lisini 169 (1993) 379
- Takatori, Y., T. Suzuki, Y. Kajii, K. Shibuya and K. Obi, Highly excited triplet state dynamics of benzophenone studied by pump and probe time-resolved thermal lensing spectroscopy 169 (1993) 291
- Tani, A., see F.M. Floris 169 (1993) 11
- Tomasi, J., see F.M. Floris 169 (1993) 11
- Turpin, P.Y., see M. Majoube 169 (1993) 231
- Tyutyulkov, N., see M. Baumgarten 169 (1993) 81
- Ubachs, W., see I. Aben 169 (1993) 113
- Van der Zwan, G., see I. Aben 169 (1993) 113
- Van Duijneveldt, F.B., see M.F. Hazenkamp 169 (1993) 55
- Vannikov, A.V., see S.V. Novikov 169 (1993) 21
- Vasil'ev, O.V., Optical absorption by a solute and long-range solute-admixture interaction 169 (1993) 35
- Whitefield, P.D., see R.P. Crannage 169 (1993) 267
- Yu, T., see M.T. Butterfield 169 (1993) 129
- Zoidis, E., see M. Haritopoulou 169 (1993) 103

## Subject Index to Volume 169

### Methods

#### Theoretical

##### *Many body and quasiparticle approaches*

- Superconductivity in organic metals based on an indirect exchange pairing mechanism,  
L. Chandran and L. Jansen 169 (1993) 1

##### *Coupling schemes and perturbative treatments*

- Superconductivity in organic metals based on an indirect exchange pairing mechanism,  
L. Chandran and L. Jansen 169 (1993) 1
- Electronic structure of donor-spacer-acceptor molecules of potential interest for molecular  
electronics. I. Donor- $\pi$  spacer-acceptor, A. Broo 169 (1993) 135
- Electronic structure of donor-spacer-acceptor molecules of potential interest for molecular  
electronics. II. Donor- $\sigma$  spacer-acceptor, A. Broo 169 (1993) 151

##### *Equilibrium statistical mechanics*

- Evaluation of dispersion-repulsion contributions to the solvation energy. Calibration of the  
uniform approximation with the aid of RISM calculations, F.M. Floris, A. Tani and  
J. Tomasi 169 (1993) 11

##### *Statistical mechanics of stationary states*

- Field dependence of charge mobility in polymer matrices. Monte Carlo simulation of the  
escape of a charge carrier from a dipole trap, S.V. Novikov and A.V. Vannikov 169 (1993) 21
- Optical absorption by a solute and long-range solute-admixture interaction, O.V. Vasil'ev 169 (1993) 35
- On the calculation of the macroscopic relaxation time from the Langevin equation for a  
dipole in a cavity in a dielectric medium, W.T. Coffey and Yu.P. Kalmykov 169 (1993) 165

##### *Non-equilibrium thermodynamic and hydrodynamic theories*

- The path integral method on solving the evolution of probability distribution: E1 and E2  
elimination reactions, H.F. Chau and K.S. Cheng 169 (1993) 45

##### *Ab initio schemes for stationary properties*

- Evaluation of dispersion-repulsion contributions to the solvation energy. Calibration of the  
uniform approximation with the aid of RISM calculations, F.M. Floris, A. Tani and  
J. Tomasi 169 (1993) 11
- Theoretical study on the intensities of charge-transfer type transitions in  $\text{VO}_4^{3-}$  and  $\text{VOF}_3$ ,  
M.F. Hazenkamp, F.B. Van Duijneveldt and G. Blasse 169 (1993) 55
- The electron distribution in quinoxalin-2-ones and 2,3-diones; a study by NQR and ab ini-  
tio calculations, J. Cobb, M.M.I. Haq, M.M.P. Kurshid, J.A.S. Smith and M.H. Palmer 169 (1993) 65

- Ab initio study of three low-lying electronic states of the  $\text{H}_2\text{NO}$  radical, Z.-L. Cai 169 (1993) 75
- On the core hole screening mechanism in adsorbates in the absence of low lying  $\pi$  acceptor orbitals, M. Ohno and P. Decleva 169 (1993) 173
- An MP2 study of the  $\text{C}_2\text{H}_2\cdots\text{CO}$  complex and its isotopomers, W.B. De Almeida and J.S. Crow 169 (1993) 185
- Super-cell versus embedded cluster simulation of a lithium vacancy in a lithium fluoride monolayer, R. Nada, V.R. Saunders and C. Pisani 169 (1993) 297
- Ab initio CI study of the laser radiation effect on pyrolysis of 1,2-dichloroethane, H. Cardy, C. Larrieu, M. Chaillet and J. Ollivier 169 (1993) 305
- X-ray photoelectron spectroscopy and ab initio CI study of the core and valence ionisation of formamide, A. Lisini, M.P. Keane, S. Lunell, N. Correia, A. Naves de Brito and S. Svensson 169 (1993) 379

### *Computational and simulation methods*

- Evaluation of dispersion-repulsion contributions to the solvation energy. Calibration of the uniform approximation with the aid of RISM calculations, F.M. Floris, A. Tani and J. Tomasi 169 (1993) 11
- Field dependence of charge mobility in polymer matrices. Monte Carlo simulation of the escape of a charge carrier from a dipole trap, S.V. Novikov and A.V. Vannikov 169 (1993) 21
- Theoretical study on the intensities of charge-transfer type transitions in  $\text{VO}_4^{3-}$  and  $\text{VOF}_3$ , M.F. Hazenkamp, F.B. Van Duijneveldt and G. Blasse 169 (1993) 55
- On the nature of the spin exchange interaction in poly(*m*-aniline), M. Baumgarten, K. Müllen, N. Tyutyulkov and G. Madjarova 169 (1993) 81
- Theoretical study of the multimode Peierls distortion in the polydecker sandwich compound  $[\text{Ni}(\text{H}_5\text{C}_3\text{B}_2)]_\infty$ , M.Yu. Lavrentiev, H. Köppel and M.C. Böhm 169 (1993) 85
- Electronic structure of donor-spacer-acceptor molecules of potential interest for molecular electronics. I. Donor- $\pi$  spacer-acceptor, A. Broo 169 (1993) 135
- Electronic structure of donor-spacer-acceptor molecules of potential interest for molecular electronics. II. Donor- $\sigma$  spacer-acceptor, A. Broo 169 (1993) 151
- Molecular motion of the morpholin-1-yl radical in  $\text{CF}_2\text{ClCFCl}_2$  as studied by ESR. Use of residual anisotropy of powder spectra to extract dynamics, O.N. Antzutkin, N.P. Benetis, M. Lindgren and A. Lund 169 (1993) 195
- CIDNP kinetics in homogeneous recombination of radicals, E.B. Krissinel' 169 (1993) 207
- Super-cell versus embedded cluster simulation of a lithium vacancy in a lithium fluoride monolayer, R. Nada, V.R. Saunders and C. Pisani 169 (1993) 297

### **Experimental**

#### *Magnetic resonances*

- The electron distribution in quinoxalin-2-ones and 2,3-diones; a study by NQR and ab initio calculations, J. Cobb, M.M.I. Haq, M.M.P. Kurshid, J.A.S. Smith and M.H. Palmer 169 (1993) 65
- Molecular motion of the morpholin-1-yl radical in  $\text{CF}_2\text{ClCFCl}_2$  as studied by ESR. Use of residual anisotropy of powder spectra to extract dynamics, O.N. Antzutkin, N.P. Benetis, M. Lindgren and A. Lund 169 (1993) 195
- On the ESR spectra and bonding of lithium complexes of acetylene, ethylene and benzene: a matrix isolation study, L. Manceron, A. Schrimpf, T. Bornemann, R. Rosendahl, F. Faller and H.-J. Stöckmann 169 (1993) 219



*Microwave spectroscopy*

- On the calculation of the macroscopic relaxation time from the Langevin equation for a dipole in a cavity in a dielectric medium, W.T. Coffey and Yu.P. Kalmykov 169 (1993) 165

*Infrared spectroscopy*

- Far-infrared absorption spectra of thiophene in liquid solutions with carbon disulfide, M. Haritopoulou, J. Samios, D. Dellis and E. Zoidis 169 (1993) 103
- Matrix isolation study of the products and reaction pathways in the corona excited discharge of  $C_6F_6$ , H. Bai and B.S. Ault 169 (1993) 317

*Raman spectroscopy*

- Theory of rotational linestrengths for resonant four-wave-mixing processes in gaseous media with application to CARS, I. Aben, W. Ubachs, G. Van der Zwan and W. Hogervorst 169 (1993) 113
- Preresonance Raman spectra for imidazole and imidazolium ion: interpretation of the intensity enhancement from a precise assignment of normal modes, M. Majoube, M. Henry, L. Chinsky and P.Y. Turpin 169 (1993) 231

*Visible and UV spectroscopy*

- On the ESR spectra and bonding of lithium complexes of acetylene, ethylene and benzene: a matrix isolation study, L. Manceron, A. Schrimpf, T. Bornemann, R. Rosendahl, F. Faller and H.-J. Stöckmann 169 (1993) 219
- Atomic potassium photodissociation lasers from 1 to 4  $\mu m$ , B.K. Clark, C.A. Stack and H.E. Muehlsler 169 (1993) 327
- Circular dichroism of oriented molecules. Magnetic dipole and electric quadrupole contribution to the ACD of chirally substituted diaminoanthraquinones, H.-G. Kuball, G. Sieber, S. Neubrech, B. Schultheis and A. Schönhofner 169 (1993) 335

*Fluorescence spectroscopy*

- High pressure study of flexible fluorescent dye molecules in solid polymeric media. I. Julolidinemalononitrile, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 351
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. II. Polyester yellow 6G-LSW, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 361
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. III. *p*-N,N'-dimethylaminobenzilidenemalononitrile (DMABMN) – reanalyzed, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 369

*Photoelectron and Auger spectroscopy*

- On the core hole screening mechanism in adsorbates in the absence of low lying  $\pi$  acceptor orbitals, M. Ohno and P. Decleva 169 (1993) 173
- X-ray photoelectron spectroscopy and ab initio CI study of the core and valence ionisation of formamide, A. Lisini, M.P. Keane, S. Lunell, N. Correia, A. Naves de Brito and S. Svensson 169 (1993) 379

*X-ray spectroscopy*

- Ionic fragmentation of carbon 1s excited metallocenes, E. Rühl, C. Heinzel, H. Baumgärtel and A.P. Hitchcock 169 (1993) 243

*Laser methods*

- Kinetics of CN reactions with allene, butadiene, propylene and acrylonitrile, M.T. Butterfield, T. Yu and M.C. Lin 169 (1993) 129
- A simple numerical model of vibrational energy transfer in polyatomic gases, R.T. Bailey, F.R. Cruickshank, S.M.G. Guthrie, D. Pugh, S.S. Miljanic and B.B. Radak 169 (1993) 259
- Surface deactivation efficiencies for  $O_2(^1\Delta_g)$  on a range of materials. I. Pyrex, nickel, copper, nickel-copper alloy and inconel, R.P. Crannage, E.A. Dorko, D.E. Johnson and P.D. Whitefield 169 (1993) 267

*Non-linear optical spectroscopy*

- Theory of rotational linestrengths for resonant four-wave-mixing processes in gaseous media with application to CARS, I. Aben, W. Ubachs, G. Van der Zwan and W. Hogervorst 169 (1993) 113
- Atomic potassium photodissociation lasers from 1 to 4  $\mu\text{m}$ , B.K. Clark, C.A. Stack and H.E. Muehlsler 169 (1993) 327

*Coherent optical spectroscopy*

- Statistical effects on the dynamics of a multilevel system studied in  $S_1$ -butynal, S. Derler, H. Bitto and J.R. Huber 169 (1993) 275

*Multiple resonance spectroscopy*

- Highly excited triplet state dynamics of benzophenone studied by pump and probe time-resolved thermal lensing spectroscopy, Y. Takatori, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 169 (1993) 291

*Time-resolved experiments*

- A simple numerical model of vibrational energy transfer in polyatomic gases, R.T. Bailey, F.R. Cruickshank, S.M.G. Guthrie, D. Pugh, S.S. Miljanic and B.B. Radak 169 (1993) 259
- Statistical effects on the dynamics of a multilevel system studied in  $S_1$ -butynal, S. Derler, H. Bitto and J.R. Huber 169 (1993) 275
- Highly excited triplet state dynamics of benzophenone studied by pump and probe time-resolved thermal lensing spectroscopy, Y. Takatori, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 169 (1993) 291

*X-ray, electron and neutron diffraction*

- Temperature dependence of the static structure factor of ortho-terphenyl in the supercooled liquid regime close to the glass transition, E. Bartsch, H. Bertagnolli, P. Chieux, A. David and H. Sillescu 169 (1993) 373

**Objects****Bulk systems***Gases*

- Ab initio study of three low-lying electronic states of the  $H_2NO$  radical, Z.-L. Cai 169 (1993) 75
- Kinetics of CN reactions with allene, butadiene, propylene and acrylonitrile, M.T. Butterfield, T. Yu and M.C. Lin 169 (1993) 129



- A simple numerical model of vibrational energy transfer in polyatomic gases, R.T. Bailey, F.R. Cruickshank, S.M.G. Guthrie, D. Pugh, S.S. Miljanic and B.B. Radak 169 (1993) 259
- Liquids mixtures and solutions*
- Evaluation of dispersion–repulsion contributions to the solvation energy. Calibration of the uniform approximation with the aid of RISM calculations, F.M. Floris, A. Tani and J. Tomasi 169 (1993) 11
- Optical absorption by a solute and long-range solute–admixture interaction, O.V. Vasil'ev 169 (1993) 35
- Far-infrared absorption spectra of thiophene in liquid solutions with carbon disulfide, M. Haritopoulou, J. Samios, D. Dellis and E. Zoidis 169 (1993) 103
- CIDNP kinetics in homogeneous recombination of radicals, E.B. Krissinel' 169 (1993) 207
- Preresonance Raman spectra for imidazole and imidazolium ion: interpretation of the intensity enhancement from a precise assignment of normal modes, M. Majoube, M. Henry, L. Chinsky and P.Y. Turpin 169 (1993) 231
- Highly excited triplet state dynamics of benzophenone studied by pump and probe time-resolved thermal lensing spectroscopy, Y. Takatori, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 169 (1993) 291
- Glasses*
- Temperature dependence of the static structure factor of ortho-terphenyl in the supercooled liquid regime close to the glass transition, E. Bartsch, H. Bertagnolli, P. Chieux, A. David and H. Sillescu 169 (1993) 373
- Liquid crystals*
- Circular dichroism of oriented molecules. Magnetic dipole and electric quadrupole contribution to the ACD of chirally substituted diaminoanthraquinones, H.-G. Kuball, G. Sieber, S. Neubrech, B. Schultheis and A. Schönhofer 169 (1993) 335
- Polymers*
- Field dependence of charge mobility in polymer matrices. Monte Carlo simulation of the escape of a charge carrier from a dipole trap, S.V. Novikov and A.V. Vannikov 169 (1993) 21
- On the nature of the spin exchange interaction in poly(*m*-aniline), M. Baumgarten, K. Müllen, N. Tyutyulkov and G. Madjarova 169 (1993) 81
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. I. Julolidinemalononitrile, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 351
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. II. Polyester yellow 6G-LSW, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 361
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. III. *p*-N,N'-dimethylaminobenzilidenemalononitrile (DMABMN) – reanalyzed, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 369
- Metals and alloys*
- Superconductivity in organic metals based on an indirect exchange pairing mechanism, L. Chandran and L. Jansen 169 (1993) 1
- Surface deactivation efficiencies for O<sub>2</sub>(<sup>1</sup>Δ)<sub>(g)</sub> on a range of materials. I. Pyrex, nickel, copper, nickel–copper alloy and inconel, R.P. Crannage, E.A. Dorko, D.E. Johnson and P.D. Whitefield 169 (1993) 267

*Surfaces*

- Super-cell versus embedded cluster simulation of a lithium vacancy in a lithium fluoride monolayer, R. Nada, V.R. Saunders and C. Pisani 169 (1993) 297

*Low-dimensional materials*

- Theoretical study of the multimode Peierls distortion in the polydecker sandwich compound  $[\text{Ni}(\text{H}_5\text{C}_3\text{B}_2)]_\infty$ , M.Yu. Lavrentiev, H. Köppel and M.C. Böhm 169 (1993) 85

*Dielectrics*

- On the calculation of the macroscopic relaxation time from the Langevin equation for a dipole in a cavity in a dielectric medium, W.T. Coffey and Yu.P. Kalmykov 169 (1993) 165

**Microscopic systems***Molecules (neutral and ionic)*

- The path integral method on solving the evolution of probability distribution: E1 and E2 elimination reactions, H.F. Chau and K.S. Cheng 169 (1993) 45
- On the nature of the spin exchange interaction in poly(*m*-aniline), M. Baumgarten, K. Müllen, N. Tyutyulkov and G. Madjarova 169 (1993) 81
- On the core hole screening mechanism in adsorbates in the absence of low lying  $\pi$  acceptor orbitals, M. Ohno and P. Decleva 169 (1993) 173
- Preresonance Raman spectra for imidazole and imidazolium ion: interpretation of the intensity enhancement from a precise assignment of normal modes, M. Majoube, M. Henry, L. Chinsky and P.Y. Turpin 169 (1993) 231
- Matrix isolation study of the products and reaction pathways in the corona excited discharge of  $\text{C}_6\text{F}_6$ , H. Bai and B.S. Ault 169 (1993) 317
- Circular dichroism of oriented molecules. Magnetic dipole and electric quadrupole contribution to the ACD of chirally substituted diaminoanthraquinones, H.-G. Kuball, G. Sieber, S. Neubrech, B. Schultheis and A. Schönhofer 169 (1993) 335

*-diatomic*

- Theory of rotational linestrengths for resonant four-wave-mixing processes in gaseous media with application to CARS, I. Aben, W. Ubachs, G. Van der Zwan and W. Hogervorst 169 (1993) 113
- Surface deactivation efficiencies for  $\text{O}_2(^1\Delta_g)$  on a range of materials. I. Pyrex, nickel, copper, nickel-copper alloy and inconel, R.P. Crannage, E.A. Dorko, D.E. Johnson and P.D. Whitefield 169 (1993) 267
- Atomic potassium photodissociation lasers from 1 to 4  $\mu\text{m}$ , B.K. Clark, C.A. Stack and H.E. Muehsler 169 (1993) 327

*-small polyatomics*

- Theoretical study on the intensities of charge-transfer type transitions in  $\text{VO}_4^{3-}$  and  $\text{VOF}_3$ , M.F. Hazenkamp, F.B. Van Duijneveldt and G. Blasse 169 (1993) 55
- A simple numerical model of vibrational energy transfer in polyatomic gases, R.T. Bailey, F.R. Cruickshank, S.M.G. Guthrie, D. Pugh, S.S. Miljanic and B.B. Radak 169 (1993) 259
- Statistical effects on the dynamics of a multilevel system studied in  $\text{S}_1$ -butynal, S. Derler, H. Bitto and J.R. Huber 169 (1993) 275

- X-ray photoelectron spectroscopy and ab initio CI study of the core and valence ionisation of formamide, A. Lisini, M.P. Keane, S. Lunell, N. Correia, A. Naves de Brito and S. Svensson 169 (1993) 379
- aromatics*
- The electron distribution in quinoxalin-2-ones and 2,3-diones; a study by NQR and ab initio calculations, J. Cobb, M.M.I. Haq, M.M.P. Kurshid, J.A.S. Smith and M.H. Palmer 169 (1993) 65
- Highly excited triplet state dynamics of benzophenone studied by pump and probe time-resolved thermal lensing spectroscopy, Y. Takatori, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 169 (1993) 291
- other large*
- Electronic structure of donor-spacer-acceptor molecules of potential interest for molecular electronics. I. Donor- $\pi$  spacer-acceptor, A. Broo 169 (1993) 135
- Electronic structure of donor-spacer-acceptor molecules of potential interest for molecular electronics. II. Donor- $\sigma$  spacer-acceptor, A. Broo 169 (1993) 151
- Ionic fragmentation of carbon 1s excited metallocenes, E. Rühl, C. Heinzel, H. Baumgärtel and A.P. Hitchcock 169 (1993) 243
- Molecular aggregates*
- An MP2 study of the  $C_2H_2 \cdots CO$  complex and its isotopomers, W.B. De Almeida and J.S. Craw 169 (1993) 185
- complexes*
- On the ESR spectra and bonding of lithium complexes of acetylene, ethylene and benzene: a matrix isolation study, L. Manceron, A. Schrimpf, T. Bornemann, R. Rosendahl, F. Faller and H.-J. Stöckmann 169 (1993) 219
- Free radicals (including hydronium and muonium)*
- Ab initio study of three low-lying electronic states of the  $H_2NO$  radical, Z.-L. Cai 169 (1993) 75
- Kinetics of CN reactions with allene, butadiene, propylene and acrylonitrile, M.T. Butterfield, T. Yu and M.C. Lin 169 (1993) 129
- Molecular motion of the morpholin-1-yl radical in  $CF_2ClCFCl_2$  as studied by ESR. Use of residual anisotropy of powder spectra to extract dynamics, O.N. Antzutkin, N.P. Benetis, M. Lindgren and A. Lund 169 (1993) 195
- CIDNP kinetics in homogeneous recombination of radicals, E.B. Krissinel' 169 (1993) 207
- Quasiparticles (including excitons)*
- Superconductivity in organic metals based on an indirect exchange pairing mechanism, L. Chandran and L. Jansen 169 (1993) 1
- Defects and impurities*
- Optical absorption by a solute and long-range solute-admixture interaction, O.V. Vasil'ev 169 (1993) 35
- Super-cell versus embedded cluster simulation of a lithium vacancy in a lithium fluoride monolayer, R. Nada, V.R. Saunders and C. Pisani 169 (1993) 297

*Ions and charge carriers*

- On the nature of the spin exchange interaction in poly(*m*-aniline), M. Baumgarten, K. Müllen, N. Tyutyulkov and G. Madjarova 169 (1993) 81

**Phenomena***Molecular structure*

- The electron distribution in quinoxalin-2-ones and 2,3-diones; a study by NQR and ab initio calculations, J. Cobb, M.M.I. Haq, M.M.P. Kurshid, J.A.S. Smith and M.H. Palmer 169 (1993) 65
- Ab initio study of three low-lying electronic states of the H<sub>2</sub>NO radical, Z.-L. Cai 169 (1993) 75
- An MP2 study of the C<sub>2</sub>H<sub>2</sub>...CO complex and its isotopomers, W.B. De Almeida and J.S. Craw 169 (1993) 185
- Preresonance Raman spectra for imidazole and imidazolium ion: interpretation of the intensity enhancement from a precise assignment of normal modes, M. Majoube, M. Henry, L. Chinsky and P.Y. Turpin 169 (1993) 231

*Vibrations and rotations of molecules*

- On the core hole screening mechanism in adsorbates in the absence of low lying  $\pi$  acceptor orbitals, M. Ohno and P. Decleva 169 (1993) 173
- Matrix isolation study of the products and reaction pathways in the corona excited discharge of C<sub>6</sub>F<sub>6</sub>, H. Bai and B.S. Ault 169 (1993) 317
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. I. Julolidinemalononitrile, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 351
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. II. Polyester yellow 6G-LSW, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 361
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. III. *p*-N,N'-dimethylaminobenzilidenemalononitrile (DMABMN) – reanalyzed, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 369

*Electronic structure and states*

- Ab initio study of three low-lying electronic states of the H<sub>2</sub>NO radical, Z.-L. Cai 169 (1993) 75
- On the nature of the spin exchange interaction in poly(*m*-aniline), M. Baumgarten, K. Müllen, N. Tyutyulkov and G. Madjarova 169 (1993) 81
- Theoretical study of the multimode Peierls distortion in the polydecker sandwich compound [Ni(H<sub>3</sub>C<sub>3</sub>B<sub>2</sub>)]<sub>∞</sub>, M.Yu. Lavrentiev, H. Köppel and M.C. Böhm 169 (1993) 85
- Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. I. Donor– $\pi$  spacer–acceptor, A. Broo 169 (1993) 135
- Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. II. Donor– $\sigma$  spacer–acceptor, A. Broo 169 (1993) 151
- On the ESR spectra and bonding of lithium complexes of acetylene, ethylene and benzene: a matrix isolation study, L. Manceron, A. Schrimpf, T. Bornemann, R. Rosendahl, F. Faller and H.-J. Stöckmann 169 (1993) 219
- Ionic fragmentation of carbon 1s excited metallocenes, E. Rühl, C. Heinzl, H. Baumgärtel and A.P. Hitchcock 169 (1993) 243
- Ab initio CI study of the laser radiation effect on pyrolysis of 1,2-dichloroethane, H. Cardy, C. Larrieu, M. Chaillet and J. Ollivier 169 (1993) 305

- High pressure study of flexible fluorescent dye molecules in solid polymeric media. I. Julolidinemalononitrile, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 351
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. II. Polyester yellow 6G-LSW, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 361
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. III. *p*-N,N'-dimethylaminobenzilidenemalononitrile (DMABMN) – reanalyzed, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 369
- X-ray photoelectron spectroscopy and ab initio CI study of the core and valence ionisation of formamide, A. Lisini, M.P. Keane, S. Lunell, N. Correia, A. Naves de Brito and S. Svensson 169 (1993) 379
- Electric and magnetic properties*
- Superconductivity in organic metals based on an indirect exchange pairing mechanism, L. Chandran and L. Jansen 169 (1993) 1
- CIDNP kinetics in homogeneous recombination of radicals, E.B. Krissinel' 169 (1993) 207
- Optical activity*
- Circular dichroism of oriented molecules. Magnetic dipole and electric quadrupole contribution to the ACD of chirally substituted diaminoanthraquinones, H.-G. Kuball, G. Sieber, S. Neubrech, B. Schultheis and A. Schönhofer 169 (1993) 335
- Molecular interactions*
- Far-infrared absorption spectra of thiophene in liquid solutions with carbon disulfide, M. Haritopoulou, J. Samios, D. Dellis and E. Zoidis 169 (1993) 103
- An MP2 study of the C<sub>2</sub>H<sub>2</sub>...CO complex and its isotopomers, W.B. De Almeida and J.S. Craw 169 (1993) 185
- Spectral bandshapes and intensities*
- Optical absorption by a solute and long-range solute–admixture interaction, O.V. Vasil'ev 169 (1993) 35
- Theoretical study on the intensities of charge-transfer type transitions in VO<sub>4</sub><sup>3-</sup> and VOF<sub>3</sub>, M.F. Hazenkamp, F.B. Van Duijneveldt and G. Blasse 169 (1993) 55
- Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. I. Donor– $\pi$  spacer–acceptor, A. Broo 169 (1993) 135
- Electronic structure of donor–spacer–acceptor molecules of potential interest for molecular electronics. II. Donor– $\sigma$  spacer–acceptor, A. Broo 169 (1993) 151
- On the calculation of the macroscopic relaxation time from the Langevin equation for a dipole in a cavity in a dielectric medium, W.T. Coffey and Yu.P. Kalmykov 169 (1993) 165
- Energy transfer processes*
- A simple numerical model of vibrational energy transfer in polyatomic gases, R.T. Bailey, F.R. Cruickshank, S.M.G. Guthrie, D. Pugh, S.S. Miljanic and B.B. Radak 169 (1993) 259
- Surface deactivation efficiencies for O<sub>2</sub>(<sup>1</sup> $\Delta$ )<sub>(g)</sub> on a range of materials. I. Pyrex, nickel, copper, nickel–copper alloy and inconel, R.P. Crannage, E.A. Dorko, D.E. Johnson and P.D. Whitefield 169 (1993) 267
- Molecular photophysical processes*
- Ionic fragmentation of carbon 1s excited metallocenes, E. Rühl, C. Heinzel, H. Baumgärtel and A.P. Hitchcock 169 (1993) 243

- Atomic potassium photodissociation lasers from 1 to 4  $\mu\text{m}$ , B.K. Clark, C.A. Stack and H.E. Muehler 169 (1993) 327
- Intramolecular dynamics*
- Statistical effects on the dynamics of a multilevel system studied in  $\text{S}_1$ -butynal, S. Derler, H. Bitto and J.R. Huber 169 (1993) 275
- Luminescence spectra, yields and lifetimes*
- Theoretical study on the intensities of charge-transfer type transitions in  $\text{VO}_4^{3-}$  and  $\text{VOF}_3$ , M.F. Hazenkamp, F.B. Van Duijneveldt and G. Blasse 169 (1993) 55
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. I. Julolidinemalononitrile, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 351
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. II. Polyester yellow 6G-LSW, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 361
- High pressure study of flexible fluorescent dye molecules in solid polymeric media. III. *p*-N,N'-dimethylaminobenzilidenemalononitrile (DMABMN) – reanalyzed, Z.A. Dreger, J.M. Lang and H.G. Drickamer 169 (1993) 369
- Multiphoton phenomena*
- Theory of rotational linestrengths for resonant four-wave-mixing processes in gaseous media with application to CARS, I. Aben, W. Ubachs, G. Van der Zwan and W. Hogervorst 169 (1993) 113
- Atomic potassium photodissociation lasers from 1 to 4  $\mu\text{m}$ , B.K. Clark, C.A. Stack and H.E. Muehler 169 (1993) 327
- Reactions (including dissociation)*
- The path integral method on solving the evolution of probability distribution: E1 and E2 elimination reactions, H.F. Chau and K.S. Cheng 169 (1993) 45
- Highly excited triplet state dynamics of benzophenone studied by pump and probe time-resolved thermal lensing spectroscopy, Y. Takatori, T. Suzuki, Y. Kajii, K. Shibuya and K. Obi 169 (1993) 291
- Ab initio CI study of the laser radiation effect on pyrolysis of 1,2-dichloroethane, H. Cardy, C. Larrieu, M. Chaillet and J. Ollivier 169 (1993) 305
- Matrix isolation study of the products and reaction pathways in the corona excited discharge of  $\text{C}_6\text{F}_6$ , H. Bai and B.S. Ault 169 (1993) 317
- gas phase*
- Kinetics of CN reactions with allene, butadiene, propylene and acrylonitrile, M.T. Butterfield, T. Yu and M.C. Lin 169 (1993) 129
- An MP2 study of the  $\text{C}_2\text{H}_2\cdots\text{CO}$  complex and its isotopomers, W.B. De Almeida and J.S. Crow 169 (1993) 185
- condensed phase*
- Kinetics of CN reactions with allene, butadiene, propylene and acrylonitrile, M.T. Butterfield, T. Yu and M.C. Lin 169 (1993) 129
- Molecular motion of the morpholin-1-yl radical in  $\text{CF}_2\text{ClCFCl}_2$  as studied by ESR. Use of residual anisotropy of powder spectra to extract dynamics, O.N. Antzutkin, N.P. Benetis, M. Lindgren and A. Lund 169 (1993) 195



- CIDNP kinetics in homogeneous recombination of radicals, E.B. Krissinel' 169 (1993) 207
- photochemical*
- Ab initio CI study of the laser radiation effect on pyrolysis of 1,2-dichloroethane, H. Cardy, C. Larrieu, M. Chaillet and J. Ollivier 169 (1993) 305
- Ionization (including Rydberg states)*
- Ionic fragmentation of carbon 1s excited metallocenes, E. Rühl, C. Heinzel, H. Baumgärtel and A.P. Hitchcock 169 (1993) 243
- X-ray photoelectron spectroscopy and ab initio CI study of the core and valence ionisation of formamide, A. Lisini, M.P. Keane, S. Lunell, N. Correia, A. Naves de Brito and S. Svensson 169 (1993) 379
- Molecular motion (including diffusive)*
- Far-infrared absorption spectra of thiophene in liquid solutions with carbon disulfide, M. Haritopoulou, J. Samios, D. Dellis and E. Zoidis 169 (1993) 103
- On the calculation of the macroscopic relaxation time from the Langevin equation for a dipole in a cavity in a dielectric medium, W.T. Coffey and Yu.P. Kalmykov 169 (1993) 165
- Molecular motion of the morpholin-1-yl radical in  $\text{CF}_2\text{ClCFCl}_2$  as studied by ESR. Use of residual anisotropy of powder spectra to extract dynamics, O.N. Antzutkin, N.P. Benetis, M. Lindgren and A. Lund 169 (1993) 195
- Surface effects and catalysis*
- On the core hole screening mechanism in adsorbates in the absence of low lying  $\pi$  acceptor orbitals, M. Ohno and P. Decleva 169 (1993) 173
- Surface deactivation efficiencies for  $\text{O}_2(^1\Delta_g)$  on a range of materials. I. Pyrex, nickel, copper, nickel-copper alloy and inconel, R.P. Crannage, E.A. Dorko, D.E. Johnson and P.D. Whitefield 169 (1993) 267
- Super-cell versus embedded cluster simulation of a lithium vacancy in a lithium fluoride monolayer, R. Nada, V.R. Saunders and C. Pisani 169 (1993) 297
- Thermodynamic and transport properties*
- Field dependence of charge mobility in polymer matrices. Monte Carlo simulation of the escape of a charge carrier from a dipole trap, S.V. Novikov and A.V. Vannikov 169 (1993) 21
- The path integral method on solving the evolution of probability distribution: E1 and E2 elimination reactions, H.F. Chau and K.S. Cheng 169 (1993) 45
- Structure of solids and liquids*
- Evaluation of dispersion-repulsion contributions to the solvation energy. Calibration of the uniform approximation with the aid of RISM calculations, F.M. Floris, A. Tani and J. Tomasi 169 (1993) 11
- The electron distribution in quinoxalin-2-ones and 2,3-diones; a study by NQR and ab initio calculations, J. Cobb, M.M.I. Haq, M.M.P. Kurshid, J.A.S. Smith and M.H. Palmer 169 (1993) 65
- Temperature dependence of the static structure factor of ortho-terphenyl in the supercooled liquid regime close to the glass transition, E. Bartsch, H. Bertagnolli, P. Chieux, A. David and H. Sillescu 169 (1993) 373